

MESSAGE NUMBER	MESSAGE	MESSAGE DESCRIPTION
-59	Inconsistent U	<p>Cause:</p> <ul style="list-style-type: none"> <li>* IF the route of administration is blank, THEN frequency, amount administered, PRN, and NDC code must be blank.</li> <li>* IF the route of administration is not blank, THEN frequency, amount administered, PRN, and NDC code must not be blank.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-60	Inconsistent AC1y value: The submitted data in item AC1y (unknown) is not consistent with the data in items AC1a through AC1x.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* IF AC1y (unknown) is checked, THEN AC1a through AC1x must be unchecked or a dash.</li> <li>* IF AC1y is not checked, THEN at least one of the AC1a through AC1h, AC1i through AC1l, AC1m through AC1r, and AC1s through AC1x must be checked.</li> </ul> <p>Tip:</p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> A checked response will display as a "1" on the validation report.</li> <li><input type="checkbox"/> A blank response (unchecked) will display as a "0" (zero) on the validation report.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>

Table 1-4. Fatal Record Messages (cont'd)

MESSAGE NUMBER	MESSAGE	MESSAGE DESCRIPTION
-61	Inconsistent J2a value: The submitted data in item J2a is not consistent with the data in items J2b through J3j.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* IF the value of J2a (pain frequency) equals 0 (zero), THEN J2b (intensity) through J3j (pain site) must be blank.</li> </ul> <p>Tip:</p> <ul style="list-style-type: none"> <li>* This is a skip pattern. If J2a = 0 (zero), then skip to J4.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-62	Inconsistent "None of the Above" value: The submitted data in "None of the Above" is not consistent with its related items.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* IF any of the correlating items are checked, THEN "None of the Above" value must be left blank (not checked).</li> <li>* IF all of the correlating items are not checked (blank), THEN "None of the Above" value must be checked.</li> <li>* IF any of the correlating items are unknown (a dash) and no correlating items are checked, THEN "None of the Above" value must be unknown (a dash).</li> </ul> <p>Tip:</p> <ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> A checked response will display as a "1" on the validation report.</li> <li><input type="checkbox"/> A blank response (unchecked) will display as a "0" on the validation report.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>

Table 1-4. Fatal Record Messages (cont'd)

MESSAGE NUMBER	MESSAGE	MESSAGE DESCRIPTION
-64	Inconsistent AB11 date: The background information completion date (AB11) was submitted with a date earlier than either the birth date (AA3) or date of entry (AB1).	<p>Cause:</p> <ul style="list-style-type: none"> <li>* AB11 (date background information completed) must be later than or equal to AA3 (birth date) and AB1 (date of entry).</li> </ul> <p>Tip:</p> <ul style="list-style-type: none"> <li>* Check the "Field" identified and the "Invalid data" on the Final Validation Report to determine the date items that are inconsistent.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications to determine valid values.</li> </ul>
-75	Inconsistent RAP value: The submitted RAP value (MDS item above) does not match the RAP value calculated by the State database. (1 indicates RAP was triggered; 0 indicates RAP was not triggered)	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The RAP value that was submitted in Section V was incorrect based on the information submitted for this assessment.</li> </ul> <p>Tip:</p> <ul style="list-style-type: none"> <li>* Hyphen (-) is used in the MDS fields to indicate "unknown." If a RAP is not clearly triggered by the response in any one of the fields associated with that RAP and at least one of the fields contains a hyphen (-), unknown, then the RAP response must also be a hyphen (-), unknown.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Contact your software vendor for assistance.</li> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS and the RAP trigger legend.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-78	Last name missing: The resident's last name (AA1c) is missing from the submitted record.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The resident last name (AA1c) in this data record was missing. This record could not be accepted with the last name blank.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> </ul>

Table 1-4. Fatal Record Messages (cont'd)

MESSAGE NUMBER	MESSAGE	MESSAGE DESCRIPTION
-80	Duplicate assessment: The record submitted is a duplicate of a previously submitted record.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* This record is a duplicate of a previously submitted record for this resident.</li> <li>* Original record was submitted and then modified. Staff then discovered the modification was a mistake, so resubmitted the original. This will reject as a duplicate assessment.</li> </ul> <p>Definition:</p> <ul style="list-style-type: none"> <li>* Duplicate records are based on all of the following: <ul style="list-style-type: none"> <li>* Identical Target Date</li> <li>* Identical AA8a (primary reason for assessment)</li> <li>* Identical AA8b (special assessment code)</li> <li>* Identical Resident</li> <li>* Identical Facility</li> </ul> </li> <li>* Target date is the date of the event for any given record and is used to determine duplicate records. Target dates are defined as follows: <ul style="list-style-type: none"> <li>Target date=R4      WHEN: <ul style="list-style-type: none"> <li>* AA8a=06 (discharge, return not anticipated)</li> <li>* AA8a=07 (discharge, return anticipated)</li> <li>* AA8a=08 (discharge, prior to initial assessment)</li> </ul> </li> <li>Target date=A4a      WHEN: <ul style="list-style-type: none"> <li>* AA8a=09 (reentry)</li> </ul> </li> <li>Target date=A3a      FOR: <ul style="list-style-type: none"> <li>* AA8a=00, 01, 02, 03, 04, 05, 10</li> </ul> </li> </ul> </li> </ul> <p>Example:</p> <ul style="list-style-type: none"> <li>* When every record in a file was rejected as duplicate assessment, the <b>Send</b> button may have been double clicked and the file was sent twice, very quickly.</li> <li>* The record was accidentally placed in a submission file after it had already been submitted, so it was sent twice in two separate files.</li> </ul> <p>Tip:</p> <ul style="list-style-type: none"> <li>* Refer to the Message Description for Warning Message –81 for the MDS items used for matching residents.</li> <li>* This error will occur if the duplicates are in the same file and the file is submitted as a production file. The first record will be edited and the second will be edited as a duplicate record.</li> <li>* This error will not occur if the duplicates are in the same file and the file is submitted as a test. The first record will not be stored, thus eliminating the duplicate files.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Check to see why this record was sent more than once.</li> <li>* DO NOT resubmit this record as it is already in the database.</li> <li>* Never resubmit an original after a modification. If the modification was in error, you must submit another modification to correct the error.</li> </ul>

Table 1-4. Fatal Record Messages (cont'd)

MESSAGE NUMBER	MESSAGE	MESSAGE DESCRIPTION
-107	SSN (AA5a) and Medicare number/railroad number (AA5b) missing: The SSN (AA5a) and Medicare number/railroad number (AA5b) are both missing from the submitted record. At least one must be present.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* IF AA8b (special assessment code) = 1, 2, 3, 4, 5, 7, or 8, THEN at least one of the following must be present: <ul style="list-style-type: none"> <li>- SSN (AA5a)</li> <li>- Resident Medicare number or comparable railroad insurance number (AA5b)</li> </ul> </li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for these items to determine acceptable values.</li> </ul>
-108	Date is missing/invalid: This required date (MDS Items Above) is either missing or contains an invalid date for the submitted record.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* Any record is rejected if date item identified is missing or contains an invalid date.</li> <li>* AA8a (primary reason for assessment) determines the date items required for specific data records. If required on the record submitted, this message applies to the following date items: <ul style="list-style-type: none"> <li>* AB1 (date of entry)</li> <li>* AB11 (date background information completed)</li> <li>* AA3 (birth date)</li> <li>* A3a (assessment reference date)</li> <li>* VB2 (RAP assessment signature date)</li> <li>* VB4 (RAP care plan signature date)</li> <li>* P_REC_DT (previous record date)</li> </ul> </li> <li>* AT6 must be present and valid for modification or inactivation requests.</li> </ul> <p>Definition:</p> <ul style="list-style-type: none"> <li>* Invalid for the purposes of this message means that the date must contain a valid month, day, and year.</li> </ul> <p>Tip:</p> <ul style="list-style-type: none"> <li>* Check the field identified on the Final Validation Report to determine the date item that is missing or invalid.</li> <li>* The correct submission file format for all dates is "YYYYMMDD." The date submitted will display on the Final Validation Report the way it is in the submission file. If it is submitted in the file as "MMDDYYYY," it will be displayed this way on the Final Validation Report, indicating the reason for the message. This may mean your software vendor needs to be notified.</li> <li>* A partial birth date (year only or month and year only) would not cause rejection.</li> </ul> <p>Example:</p> <ul style="list-style-type: none"> <li>* An invalid date would be June 32, 1999.</li> <li>* A month of 0 or a day of 32 is not valid.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS and the RAP trigger legend.</li> <li>* Refer to the current data specifications to determine acceptable values.</li> </ul>

Table 1-4. Fatal Record Messages (cont'd)

Dates prior to 1850 and after 2200 are not accepted by the Data Management System.

MESSAGE NUMBER	MESSAGE	MESSAGE DESCRIPTION
-109	Date in Future: This required date (MDS Item Above) is later than the current date. This date must precede or be the same as the current date.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* Any record is rejected if the date item identified is a future date (later than the current date). The date item must precede or be the same as the current date.</li> <li>* AA8a (primary reason for assessment) determines the date items required for specific data records. If required on the record submitted, this message applies to the following date items: <ul style="list-style-type: none"> <li>* AB1 (date of entry)</li> <li>* AB11 (date background info. completed)</li> <li>* AA3 (birth date)</li> <li>* A3a (assessment reference date)</li> <li>* A4a (date or reentry)</li> <li>* R2b (date RN Coordinator signed as complete)</li> <li>* R4 (discharge date)</li> <li>* VB2 (RAP assessment signature date)</li> <li>* VB4 (RAP care plan signature date)</li> <li>* P_REC_DT (previous record date)</li> <li>* AT6 (attestation date)</li> </ul> </li> </ul> <p>Definition:</p> <ul style="list-style-type: none"> <li>* Current date refers to the date the file is submitted to the CMS MDS system at the State.</li> </ul> <p>Tip:</p> <ul style="list-style-type: none"> <li>* Check the Field identified on the Final Validation Report to determine the date item that contains a future date.</li> <li>* The correct submission file format for all dates is "YYYYMMDD." The date submitted will display on the Final Validation Report the way it is in the submission file. If it is submitted in the file as "MMDDYYYY," it will be displayed this way on the Final Validation Report, indicating the reason for the message. This may mean your software vendor needs to be notified.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>

Table 1-4. Fatal Record Messages (cont'd)

MESSAGE NUMBER	MESSAGE	MESSAGE DESCRIPTION
-110	Date too old: This required date (MDS Item Above) is more than 140 years in the past. This date cannot be more than 140 years in the past.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* Any record is rejected if the date item identified is more than 140 years prior to the current date.</li> <li>* AA8a (primary reason for assessment) determines the date items required for specific data records. If required on the record submitted, this message applies to the following date items: <ul style="list-style-type: none"> <li>* AB1 (date of entry)</li> <li>* AB11 (date background info. completed)</li> <li>* AA3 (birth date)</li> <li>* A3a (assessment reference date)</li> <li>* A4a (date or reentry)</li> <li>* R2b (date RN Coordinator signed as complete)</li> <li>* R4 (discharge date)</li> <li>* VB2 (RAP assessment signature date)</li> <li>* VB4 (RAP care plan signature date)</li> </ul> </li> <li>* P_REC_DT (previous record date)</li> </ul> <p>Definition:</p> <ul style="list-style-type: none"> <li>* Current date refers to the date the file is submitted to the CMS MDS system at the State.</li> </ul> <p>Tip:</p> <ul style="list-style-type: none"> <li>* Check the Field identified on the Final Validation Report to determine the date item that contains a future date.</li> <li>* The correct submission file format for all dates is "YYYYMMDD." The date submitted will display on the Final Validation Report the way it is in the submission file. If it is submitted in the file as "MMDDYYYY," it will be displayed this way on the Final Validation Report, indicating the reason for the message. This may mean your software vendor needs to be notified.</li> <li>* A partial birth date (year only or month and year only) would not cause rejection.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-111	Inconsistent AB1/AA3 date: The admission date (AB1) was submitted with a date earlier than the birth date (AA3). The AA3 date must precede or be the same as the AB1 date.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* AA3 (birth date) must precede AB1 (admission date). If AB1 is earlier than AA3, the record will be rejected.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>

Table 1-4. Fatal Record Messages (cont'd)

MESSAGE NUMBER	MESSAGE	MESSAGE DESCRIPTION
-112	Inconsistent A3a/AA3 dates: The assessment reference date (A3a) was submitted with a date earlier than the birth date (AA3). The AA3 date must precede or be the same as the A3a date.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* AA3 (birth date) must precede A3a (assessment reference date). If A3a is earlier than AA3, the record will be rejected.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-113	Inconsistent A3a/AB1 dates: The assessment reference date (A3a) was submitted with a date earlier than the admission date (AB1). The AB1 date must precede or be the same as the A3a date.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* AB1 (admission date) must precede or be the same as A3a (reference date). If A3a is earlier than AB1, the record will be rejected.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-114	Inconsistent R2b/A3a dates: The MDS completion date (R2b) was submitted with a date earlier than the assessment reference date (A3a). The A3a date must precede or be the same as the R2b date.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* A3a (assessment reference date) must precede or be the same as R2b (MDS completion date). If R2b is earlier than A3a, the record will be rejected.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-116	Inconsistent VB2/A3a: The RAP completion date (VB2) was submitted with a date earlier than the assessment reference date (A3a). The A3a date must precede or be the same as the VB2 date.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* A3a (assessment reference date) must precede or be the same as VB2 (RAP completion date). If VB2 is earlier than A3a, the record will be rejected.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>

Table 1-4. Fatal Record Messages (cont'd)



MESSAGE NUMBER	MESSAGE	MESSAGE DESCRIPTION
-117	Inconsistent VB4/VB2: The care plan completion date (VB4) was submitted with a date earlier than the RAP completion date (VB2). The VB2 date must precede or be the same as the VB4 date.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* VB2 (RAP completion date) must precede or be the same as VB4 (care plan completion date). If VB4 is earlier than VB2, the record will be rejected.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-119	Inconsistent R4/AA3: The discharge date (R4) was submitted with a date earlier than the birth date (AA3). The AA3 date must precede or be the same as the R4 date.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* AA3 (birth date) must precede or be the same as R4 (discharge date). If R4 is earlier than AA3, the record will be rejected.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-120	Inconsistent R4/AB1 dates: The discharge date (R4) was submitted with a date earlier than the admission date (AB1). The AB1 date must precede or be the same as the R4 date.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* AB1 (admission date) must precede or be the same as the R4 (discharge date). If R4 is earlier than AB1, the record will be rejected.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-121	Inconsistent A4a/AA3: The reentry date (A4a) was submitted with a date earlier than the birth date (AA3). The AA3 date must precede or be the same as the A4a date.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* AA3 (birth date) must precede or be the same as A4a (re-entry date). If A4a is earlier than AA3, the record will be rejected.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>

Table 1-4. Fatal Record Messages (cont'd)

MESSAGE NUMBER	MESSAGE	MESSAGE DESCRIPTION
-122	Inconsistent A3a/P_REC_DT: The assessment reference date (A3a) was submitted with a date earlier than or equal to previous record date (P_REC_DT). The P_REC_DT date must precede the A3a date.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The P_REC_DT (previous record date) must precede the A3a (assessment reference date) of the Significant Correction Assessment. If the P_REC_DT is later than or equal to the A3a of the Significant Correction Assessment, the record will be rejected.</li> </ul> <p>Definition:</p> <ul style="list-style-type: none"> <li>* P_REC_DT (previous record date) occurs in significant correction assessments. P_REC_DT is the A3a (assessment reference date) of the record that is being corrected.</li> </ul> <p>Tip:</p> <ul style="list-style-type: none"> <li>* P_REC_DT is an item that may not be visible to the facility user. It may be an item that is filled in by the vendor software when the record is copied to an upload file.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Contact your software vendor to determine how your software handles P_REC_DT.</li> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-208	Inconsistent P1baB value: The submitted data in item P1baB is not consistent with the data in item P1baA. If P1baA = 1 – 7, then P1baB must be a number > or = 15 times P1baA.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The number of minutes of therapy submitted does not equal at least 15 minutes of speech therapy for each day it was administered.</li> <li>* IF P1baA = 1-7 (speech therapy days), THEN P1baB (speech therapy-# of minutes received therapy in the last 7 days) must be a number greater than or equal to 15 minutes times P1baA.</li> </ul> <p>Example:</p> <ul style="list-style-type: none"> <li>* If 2 days of therapy were administered (P1baA), the minimum number of minutes provided (P1baB) must be at least 30.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>

Table 1-4. Fatal Record Messages (cont'd)

MESSAGE NUMBER	MESSAGE	MESSAGE DESCRIPTION
-209	Inconsistent P1bbB value: The submitted data in item P1bbB is not consistent with the data in item P1bbA. If P1bbA = 1 through 7, then P1bbB must be a number > or = 15 times P1bbA.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The number of minutes of therapy submitted does not equal at least 15 minutes of occupational therapy for each day it was administered.</li> <li>* IF P1bbA = 1-7 (occupational therapy days), THEN P1bbB (occupational therapy days-total # of minutes received therapy in the last 7 days) must be a number greater than or equal to 15 minutes times P1bbA.</li> </ul> <p>Example:</p> <ul style="list-style-type: none"> <li>* If 3 days of therapy were administered (P1bbA), the minimum number of minutes provided (P1bbB) must be at least 45.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-210	Inconsistent P1bcB value: The submitted data in item P1bcB is not consistent with the data in item P1bcA. If P1bcA = 1 through 7, then P1bcB must be a number > or = 15 times P1bcA.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The number of minutes of therapy submitted does not equal at least 15 minutes of physical therapy for each day it was administered.</li> <li>* IF P1bcA = 1-7 (physical therapy days), THEN P1bcB (physical therapy-# of minutes received therapy in the last 7 days) must be a number greater than or equal to 15 minutes times P1bcA.</li> </ul> <p>Example:</p> <ul style="list-style-type: none"> <li>* If 4 days of therapy were administered (P1bcA), the minimum number of minutes provided (P1bcB) must be at least 60.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>

Table 1-4. Fatal Record Messages (cont'd)

MESSAGE NUMBER	MESSAGE	MESSAGE DESCRIPTION
-211	Inconsistent P1bdB value: The submitted data in item P1bdB is not consistent with the data in item P1bdA. If P1bdA = 1 through 7, then P1bdB must be a number > or = 15 times P1bdA.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The number of minutes of therapy submitted does not equal at least 15 minutes of respiratory therapy for each day it was administered.</li> <li>* IF P1bdA = 1-7 (respiratory therapy days), THEN P1bdB (respiratory therapy days-total # of minutes received therapy in the last 7 days) must be a number greater than or equal to 15 minutes times P1bdA.</li> </ul> <p>Example:</p> <ul style="list-style-type: none"> <li>* If 5 days of therapy were administered (P1bdA), the minimum number of minutes provided (P1bdB) must be at least 75.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-212	Inconsistent P1beB value: The submitted data in item P1beB is not consistent with the data in item P1beA. If P1beA = 1 through 7, then P1beB must be a number > or = 15 times P1beA.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The number of minutes of therapy submitted does not equal at least 15 minutes of psychological therapy for each day it was administered.</li> <li>* IF P1beA = 1-7 (psychological therapy days), THEN P1beB (psychological therapy-# of minutes received therapy in the last 7 days) must be a number greater than or equal to 15 minutes times P1beA.</li> </ul> <p>Example:</p> <ul style="list-style-type: none"> <li>* If 6 days of therapy were administered (P1beA), the minimum number of minutes provided (P1beB) must be at least 90.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-213	Inconsistent T1d value: The submitted data in item T1d is not consistent with the data in item T1c. If T1c is zero, then T1d must be zero.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* IF T1c (estimate of days of therapy until day 15) is zero, THEN T1d (estimate of minutes of therapy until day 15) must be zero.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>

Table 1-4. Fatal Record Messages (cont'd)

MESSAGE NUMBER	MESSAGE	MESSAGE DESCRIPTION
-214	Inconsistent T1d value: The submitted data in item T1d is not consistent with the data in item T1c. If T1c > zero, then T1d must be > zero.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* IF T1c (estimate of days of therapy until day 15) is not zero, THEN T1d (estimate of minutes of therapy until day 15) must not be zero.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-309	Unable to calculate RUG: An ORACLE error has occurred on the CMS MDS system at the State, which recalculates RUGs. Contact your State Coordinator immediately before resubmitting this record.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* There is a problem at the CMS MDS system at the State.</li> <li>* The MDS system was unable to complete the SQL Statement applied to a particular table.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* If this message is received, contact your State Coordinator immediately. Resubmit this file when directed by your State Coordinator.</li> <li>* The State Coordinator should refer to the <i>Oracle Server Messages Manual</i> for information on how to correct this problem.</li> </ul>
-320	Extra data: Fields in the identified section (AT or PR) contained data not allowed on an original record.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The record submitted was not a modification or inactivation request, but contained data in the AT or PR fields. The original record must contain no data in the AT or PR fields.</li> </ul> <p>Definition:</p> <ul style="list-style-type: none"> <li>* AT and PR fields: The AT fields identify that a modification or inactivation of a previously submitted record is requested. The PR fields identify the previously submitted record that is to be modified or inactivated.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>

Table 1-4. Fatal Record Messages (cont'd)

MESSAGE NUMBER	MESSAGE	MESSAGE DESCRIPTION
-321	Missing data: Fields in the identified section (AT or PR) were blank and should not be on the request submitted.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The request submitted was a request for a modification or inactivation. The identified AT or PR fields were blank. All AT and PR fields must be completed for a correction request.</li> </ul> <p>Definition:</p> <ul style="list-style-type: none"> <li>* AT and PR fields: The AT fields identify that a modification or inactivation of a previously submitted record that is to be modified or inactivated.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-322	Invalid AT 2 value: AT2 value is invalid for the submitted correction.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The submitted data for AT2 is not in the valid range of acceptable values.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-323	Non-blank fields: Sections AA through V contained data for the requested inactivation. These fields should be blank.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The correction request submitted was an inactivation record. Fields in Section AA through Section V contained data. Section AA through Section V must be blank on an inactivation request.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-324	No match found: No matching record was found in the database for the submitted correction. At least one of the Prior record fields (PR) did not match with a record in the database.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* At least one of the Prior record fields (PR) did not match with a record in the database.</li> <li>* The correction request may have been submitted twice.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>

Table 1-4. Fatal Record Messages (cont'd)

MESSAGE NUMBER	MESSAGE	MESSAGE DESCRIPTION
-325	Inconsistent AT1: The submitted value in AT1 is not consistent with the AT1 value previously submitted.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The correction request may have been submitted twice.</li> <li>* The AT1 value must exceed the AT1 value on the previously submitted correction request.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the Correction Policy for item-by-item instructions for Sections AT and PR.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-326	Inconsistent AT3: The submitted data in items AT3a through AT3e is not consistent with the data in item AT2.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The correction request submitted was a modification record (AT2=1). At least one item in AT3a through AT3e was not checked on this record. At least one item in AT3a through AT3e must be checked on a modification record.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the Correction Policy for item-by-item instructions for Sections AT and PR.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-327	Inconsistent AT4: The submitted data in items AT4a through AT4d is not consistent with the data in item AT2.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The correction request was submitted was an inactivation record (AT2=1). At least one item was not checked in AT4a through AT4d on this request. At least one item in AT4a through AT4d must be checked for an inactivation request.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the Correction Policy for item-by-item instructions for Sections AT and PR.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>

Table 1-4. Fatal Record Messages (cont'd)

MESSAGE NUMBER	MESSAGE	MESSAGE DESCRIPTION
-328	Inconsistent AT6: The submitted AT6 date was earlier than the date identified above. The AT6 date must be later than or equal to the date identified above.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The AT6 date in this correction request was earlier than other dates present in the correction request. The AT6 date must be later than or equal to the following dates present in the correction request: <ul style="list-style-type: none"> <li>* AA3 (birth date)</li> <li>* AB1 (date of entry)</li> <li>* A4a (date of reentry)</li> <li>* P_REC_DT (previous record date)</li> <li>* A3a (assessment reference date)</li> <li>* R2b (date RN Coordinator signed as complete)</li> <li>* R4 (discharge date)</li> <li>* VB2 (RAP assessment signature date)</li> <li>* VB4 (RAP care plan signature date)</li> </ul> </li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the Correction Policy for item-by-item instructions for Sections AT and PR.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-329	Inconsistent AT5: Item AT5a or AT5b was blank. This is not consistent with the data in item AT2.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* IF AT2 (action requested) equals 1 (modify) or 2 (inactivate), THEN AT5a (attesting individual: first name) and AT5b (attesting individual: last name) must not be blank.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the Correction Policy for item-by-item instructions for Sections AT and PR.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-333	Invalid AA8a/AA8b: The AA8a/AA8b (reason for assessment) in the modification request submitted does not match the AA8a/AA8b of the prior record. AA8a/AA8b cannot be modified.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The AA8a/AA8b (reason for assessment) in the modification request does not match the AA8a/AA8b of the prior record. The reason for assessment (AA8a/AA8b) cannot be modified.</li> </ul> <p>Example:</p> <ul style="list-style-type: none"> <li>* The original record was coded as an annual (AA8a=02) and submitted. Staff had intended to code the assessment a significant change in status (AA8a=03). This cannot be changed through a modification request.</li> <li>* The original record was coded as an annual (AA8a=00/AA8b=2) and submitted. Staff had intended to code the assessment a 14 day Medicare (AA8a=00/AA8b=7). This cannot be changed through a modification request.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Inactivate the assessment that had the reason for assessment coded incorrectly. Then submit the assessment with the reason for assessment coded correctly.</li> </ul>

Table 1-4. Fatal Record Messages (cont'd)



MESSAGE NUMBER	MESSAGE	MESSAGE DESCRIPTION
-376	Inconsistent G1 value: The submitted data in one of items G1aB through G1jB or G2B is inconsistent with the data in the corresponding items G1aA through G1jA or G2A.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* IF any value in items G1aA (self performance) through G1jA (self performance) or G2a (self performance) equals 8, THEN the value in the corresponding item of G1aB (support provided) through G1jB (support provided) or G2B (support provided) must equal 8.</li> <li>* IF any value in items G1aA (self performance) through G1jA (self performance) or G2A (self performance) does not equal 8, THEN the value in the corresponding item of G1aB (support provided) through G1jB (support provided) or G2B (support provided) cannot equal 8.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-378	Inconsistent E1 value: The submitted data in items E1a through E1p are not consistent with the data in item E2.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* IF the value in E2 (mood persistence) is 1 or 2, THEN the value in at least one item E1a (negative statements) through E1p (reduced social interaction) must be 1 or 2.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-381	No authority to collect data. Privacy rights require federal and/or state authority to collect MDS data. There is no authority to collect the data submitted. Data was not accepted.	<p>Cause:</p> <ul style="list-style-type: none"> <li>*The State has 'no authority' to collect MDS info and the assessment submitted has a SUB_REQ value of 1 or 2.</li> <li>*The State 'has authority' to collect MDS info and the assessment submitted has a SUB_REQ value of 1.</li> </ul> <p>Definition:</p> <ul style="list-style-type: none"> <li>*The Facility cannot release resident information without appropriate authority. There must be federal and/or State authority in order for a facility to submit MDS information to the standard MDS system. The key to what authority exists is based on certified versus non-certified units.</li> </ul> <p>Tip:</p> <ul style="list-style-type: none"> <li>*For detailed information re: SUB_REQ values, refer to the LTC Resident Assessment Instrument, Version 2.0, Provider Instructions Regarding Authority To Submit MDS Records and Use of the SUB_REQ Field.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>*Make appropriate correction to the record and resubmit.</li> <li>*Refer to the LTC Resident Assessment Instrument, Version 2.0, Provider Instructions Regarding Authority To Submit MDS Records and Use of the SUB_REQ Field.</li> </ul>

Table 1-4. Fatal Record Messages (cont'd)

MESSAGE NUMBER	MESSAGE	MESSAGE DESCRIPTION
-382	Inconsistent P1baA value: The submitted data in item P1baA is not consistent with the data in item P1baB. If P1baB is greater than 98, then P1baA must be greater than or equal to 1 or – (unknown).	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The number of minutes of therapy submitted indicates that at least 15 minutes of speech therapy on at least one day was administered.</li> <li>* IF P1baB&gt;98 (speech therapy-# of minutes received therapy in the last 7 days), THEN P1baA (speech therapy days) must be a number greater than or equal to 1 or – (unknown).</li> </ul> <p>Tip:</p> <ul style="list-style-type: none"> <li>* 98 minutes is 7 days times 14 minutes; &gt;98 minutes indicates 15 minutes or more on at least 1 day.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-383	Inconsistent P1bbA value: The submitted data in item P1bbA is not consistent with the data in item P1bbB. If P1bbB is greater than 98, then P1bbA must be greater than or equal to 1 or – (unknown).	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The number of minutes of therapy submitted indicates that at least 15 minutes of occupational therapy on at least one day was administered.</li> <li>* IF P1bbB&gt;98 (occupational therapy-# of minutes received therapy in the last 7 days), THEN P1bbA (occupational therapy days) must be a number greater than or equal to 1 or (unknown).</li> </ul> <p>Tip:</p> <ul style="list-style-type: none"> <li>* 98 minutes is 7 days times 14 minutes; &gt;98 minutes indicates 15 minutes or more on at least 1 day.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-384	Inconsistent P1bcA value: The submitted data in item P1bcA is not consistent with the data in item P1bcB. If P1bcB is greater than 98, then P1bcA must be greater than or equal to 1 or – (unknown).	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The number of minutes of therapy submitted indicates that at least 15 minutes of physical therapy on at least one day was administered.</li> <li>* IF P1bcB&gt;98 (physical therapy-# of minutes received therapy in the last 7 days), THEN P1bcA (physical therapy days) must be a number greater than or equal to 1 or -(unknown).</li> </ul> <p>Tip:</p> <ul style="list-style-type: none"> <li>* 98 minutes is 7 days times 14 minutes; &gt;98 minutes indicates 15 minutes or more on at least 1 day.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>

Table 1-4. Fatal Record Messages (cont'd)

MESSAGE NUMBER	MESSAGE	MESSAGE DESCRIPTION
-385	Inconsistent P1bdA value: The submitted data in item P1bdA is not consistent with the data in item P1bdB. If P1bdB is greater than 98, then P1bdA must be greater than or equal to 1 or- (unknown).	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The number of minutes of therapy submitted indicates that at least 15 minutes of respiratory therapy on at least one day was administered.</li> <li>* IF P1bdB&gt;98 (respiratory therapy-# of minutes received therapy in the last 7 days), THEN P1bdA (respiratory therapy days) must be a number greater than or equal to 1 or (unknown).</li> </ul> <p>Tip:</p> <ul style="list-style-type: none"> <li>* 98 minutes is 7 days times 14 minutes;&gt;98 minutes indicates 15 minutes or more on at least 1 day.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-386	Inconsistent P1beA value: The submitted data in item P1beA is not consistent with the data in item P1beB. If P1beB is greater than 98, then P1beA must be greater than or equal to 1 or- (unknown).	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The number of minutes of therapy submitted indicates that at least 15 minutes of psychological therapy on at least one day was administered.</li> <li>* IF P1beB&gt;98 (psychological therapy-# of minutes received therapy in the last 7 days) THEN P1beA&gt; (psychological therapy days) must be a number greater than or equal to 1 or (unknown).</li> </ul> <p>Tip:</p> <ul style="list-style-type: none"> <li>* 98 minutes is 7 days times 14 minutes;&gt;98 minutes indicates 15 minutes or more on at least 1 day.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-387	Impossible P1baA/P1baB relationship: The relationship between the values submitted in items P1baA and P1baB is not possible. P1baB divided by P1baA must be less than or equal to 1440.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The number of minutes of therapy submitted is not possible based on the number of days of therapy submitted.</li> <li>* IF P1baB&gt;98 (speech therapy-# of minutes received therapy in the last 7 days divided by P1baA (speech therapy days) must be less than or equal to 1440.</li> </ul> <p>Tip:</p> <ul style="list-style-type: none"> <li>* 1440=total minutes in a day.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>
-388	Impossible P1bbA/P1bbB relationship: The relationship between the values submitted in items P1bbA and P1bbB is not possible. P1bbB divided by P1bbA must be less than or equal to 1440..	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The number of minutes of therapy submitted is not possible based on the number of days of therapy submitted.</li> <li>* IF P1bbB&gt;98 (occupational therapy-# of minutes received therapy in the last 7 days divided by P1bbA (occupational therapy days) must be less than or equal to 1440.</li> </ul> <p>Tip:</p> <ul style="list-style-type: none"> <li>* 1440=total minutes in a day.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to determine acceptable values.</li> </ul>

Table 1-4. Fatal Record Messages (cont'd)

MESSAGE NUMBER	MESSAGE	MESSAGE DESCRIPTION
-389	Impossible P1bcA/P1bcB relationship: The relationship between the values submitted in items P1bcA and P1bcB is not possible. P1bcB divided by P1bcA must be less than or equal to 1440.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The number of minutes of therapy submitted is not possible based on the number of days of therapy submitted.</li> <li>* IF P1bcB&gt;98 (physical therapy-# of minutes received therapy in the last 7 days divided by P1bcA (physical therapy days) must be less than or equal to 1440.</li> </ul> <p>Tip:</p> <ul style="list-style-type: none"> <li>* 1440=total minutes in a day.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to <u>determine acceptable values.</u></li> </ul>
-390	Impossible P1bdA/P1bdB relationship: The relationship between the values submitted in items P1bdA and P1bdB is not possible. P1bdB divided by P1bdA must be less than or equal to 1440.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The number of minutes of therapy submitted is not possible based on the number of days of therapy submitted.</li> <li>* IF P1bdB&gt;98 (respiratory therapy-# of minutes received therapy in the last 7 days divided by P1bdA (respiratory therapy days) must be less than or equal to 1440.</li> </ul> <p>Tip:</p> <ul style="list-style-type: none"> <li>* 1440=total minutes in a day.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to <u>determine acceptable values.</u></li> </ul>
-391	Impossible P1beA/P1beB relationship: The relationship between the values submitted in items P1beA and P1beB is not possible. P1beB divided by P1beA must be less than or equal to 1440.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The number of minutes of therapy submitted is not possible based on the number of days of therapy submitted.</li> <li>* IF P1beB&gt;98 (psychological therapy-# of minutes received therapy in the last 7 days divided by P1beA (psychological therapy days) must be less than or equal to 1440.</li> </ul> <p>Tip:</p> <ul style="list-style-type: none"> <li>* 1440=total minutes in a day.</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Make appropriate corrections to the record and resubmit.</li> <li>* Refer to the LTC RAI User's Manual for item-by-item instructions for the MDS.</li> <li>* Refer to the current data specifications for this item to <u>determine acceptable values.</u></li> </ul>
-392	Invalid Correction/Inactivation: Records coded AA8a=00 with AA8b=6 or blank cannot be modified or inactivated.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* Records coded AA8a=00 with AA8b=6 or blank are considered ignored records and are not stored in the State database. Therefore, a modification or inactivation cannot be done because no match of prior record fields can be done.</li> </ul>

Table 1-4. Fatal Record Messages (cont'd)

MESSAGE NUMBER	MESSAGE	MESSAGE DESCRIPTION
-394	Invalid record FAC_ID: The State assigned Facility ID code (FAC_ID) in any one of the submitted resident data records does not match the FAC_ID in the header record of the submission file.	<p>Cause:</p> <ul style="list-style-type: none"> <li>* The State assigned FAC_ID code in any one of the submitted resident data records does not match the FAC_ID in the header record of the submission file.</li> </ul> <p>Definition:</p> <ul style="list-style-type: none"> <li>* Data record: A data record contains information for a single MDS resident record, a single discharge transaction, a single reentry transaction (readmission after discharge), a single request to modify an MDS record, or a single request to inactivate an MDS record. There will be one or more data records in a submission file.</li> <li>* Header record: The header record contains basic identifying information for the facility, as well as, contact persons and telephone numbers to use in the event that the file is in error. It is the first line of data in the submission file.</li> </ul> <p>Example:</p> <ul style="list-style-type: none"> <li>* FAC_ID in the header record = IA1111 and FAC_ID in the submitted resident data record = IA0001</li> </ul> <p>Action:</p> <ul style="list-style-type: none"> <li>* Verify that the FAC_ID in all data records match the FAC_ID in the header record of the submission file match.</li> <li>* If the FAC_ID of the data record(s) does not match the FAC_ID in the header record, unlock the data record(s), make the correction, and create a new submission file containing the corrected records. Submit the new file.</li> <li>* Contact your software vendor for assistance.</li> </ul>

Table 1-4. Fatal Record Messages (cont'd)